

High Temperature Range Thermo Camera Now Available!


Up to 1200°C detection!

This New ARTCAM-THERMO Series Product Suits Industrial Furnaces and Boilers, and Satisfies the Needs for Molding/Forging Temperature Management.

Specifications

Detector Type	: Uncooled Microbolometer (Built in peltier device)
Detected Wavelength	: 8~14 μm
Effective Pixels	: QVGA 320x240
Pixel Pitch	: 23.5 μm
Operability	: >98%
Thermal Time Constant	: 16msec typ.
8mm Lens FOV	: 50° (H)x37.5° (V)
16mm Lens FOV	: 26° (H)x20° (V)
Booting Time	: ≤ 15sec
Measure Range	: ±5%
Measure Range	: 30fps
Power	: DC12V
Electricity Consumption	: Below 10W
Running Temperature	: 0~35°C (Below 80% Non Condensing)
Dimension	: 72(W)x62(H)x112(D)mm

Item List : ARTCAM-320-THERMO-H1200
3m USB2.0 cable, Instruction manual
CD (Device driver software, Viewer software, Software manual)
DC 12V, 1A Adapter, Infrared Thermometer



USB2.0 High temperature range thermo camera

ARTCAM-320-THERMO-H1200



ARTRAY CO., LTD.

1-17-5 Kouenjikita Suginami-Ku Tokyo 166-0002, Japan
TEL : +81-3-3389-5488 FAX : +81-3-3389-5486
Email : sales@artray.us URL : www.artray.us

- ARTCAM is ARTRAY's registered trademark.
- We might change product's specifications without announcement.
Sorry for inconvenience in advance.